

To: Dirscherl, Christopher[Dirscherl.Christopher@epa.gov]
From: Oman, Jack
Sent: Mon 11/16/2015 6:02:03 PM
Subject: FW: Yerington FMS water balance refresh

Chris,

FYI, I have a wrong email address for you and it keeps auto-populating when I type your name. I think I've fixed things on this end.

-jack

From: Oman, Jack
Sent: Monday, November 16, 2015 9:58 AM
To: Dante Rodriguez (rodriguez.dante@epa.gov); 'Jeryl Gardner'
Cc: Dave Seter; Chris Dirscherl (Dirscherl.Christopher@epa.gov); 'Zimmerman, Chuck'; jbatchelder@envirosolve.com
Subject: Yerington FMS water balance refresh

Dante and Jeryl,

Following up on our recent conversation, I am having B&C revise the water balance for the FMS system based on current observations of system performance. We should be able to get a tech memo on this topic to you by January 2016. Let me know if you have any questions or would like to discuss further at this time.

Thanks,

-jack

Jack Oman

Project Manager

Atlantic Richfield Company

4 Centerpointe Drive

La Palma, CA 90623-1066

(657) 529-4581 office

(714) 670-5195 fax

(714) 330-1706 mobile

jack.oman@bp.com